

Guide to Achieving Apple & Pear Export MRLs - February 2017

1. The information contained in this document is provided only as a guide to assist industry members in complying with maximum residue limits (MRLs) in respect of apples in the listed countries. The data must not be relied upon as being true and accurate data.
2. APAL will use all reasonable endeavours to review and amend the data contained in this document from time to time in accordance with information obtained from domestic and international regulatory authorities and agrochemical companies. However, the actual specified MRLs and export withholding period for each country is subject to change from time to time. Actual MRLs must be independently verified before the export of apples.
3. It is strongly recommended that the information contained in this document be used in conjunction with residue monitoring to ensure compliance with actual MRLs.
4. Growers should maintain accurate and detailed records of all chemicals applied to fruit. It is strongly recommended that farmers consult product labels before application as State and/or Territory requirements may vary from time to time.
5. Herbicide details have not been included, as contact with fruit should not occur during herbicide application.
6. MRLs for various export destinations MRL tables can be found at <http://www.apal.org.au/>

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Export MRLs Guide February 2017

LEGEND

Food Standards Australia New Zealand (FSANZ) MRLs are used as the default Australian MRL unless otherwise indicated.

Signifies that an Australian Pesticides & Veterinary Medicines Authority (APVMA) MRL has been used in the absence of a FSANZ MRL

* Signifies an MRL set at the limit of quantitation (LOQ)

NR - Indicates that a withholding period is not required when used as directed

Canada - List of Maximum Residue Limits Regulated Under the Pest Control Canadian MRLs. In the absence of a set MRL, a default MRL of 0.1 mg/kg applies.

China- MRLs indicated based upon **unofficial translation** of GB 2763-2016, to be applied from June 2017 and WTO SPS Notifications 1051 and 1053. Care needs to be taken as translation of commodity names can be problematic.

Codex - Codex Alimentarius Commission. FAO/WHO Food Standards Codex Alimentarius Pesticide Residues in Food - MRLs & Extraneous MRLs

European Union - The EU pesticide residues database provides for a search tool for all the EU-MRLs set in Reg. (EC) No 396/2005. Updated 7/02/2017

Hong Kong – Hong Kong Centre for Food Safety- The Pesticide Residues in Food Regulation (Cap. 132CM) (“the Regulation”)

Indonesia - Maximum Limits of Pesticide Residues in Agricultural Products - NOMOR 55/Permentan/KR.040/11/2016.

Japan - Positive List System for Agricultural Chemical Residues in Foods

Malaysia - Laws of Malaysia. Food (Amendment) Regulations 2004 available on the Ministry of Health Food Safety and Quality Division. In the absence of a set domestic MRL, *Codex MRLs may apply*, in the absence of a Codex MRL a maximum residue limit of 0.01 mg/kg applies.

Singapore - In the absence of a nationally set MRL, default to the Codex level (MRLs as per S493/2013 wef 01/08/2013)

Thailand - THAI Agricultural Standard TAS 9002-2016 (December 2016). In the absence of a national standard Codex MRLs *may* apply

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Export MRLs Guide February 2017

Table of Contents

Insecticides	4
Fungicides	9
Plant Growth Regulators	13

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Export MRLs Guide February 2017

Insecticides:

Active ingredient (Example of Common product)	Aust WHP (days)	Codex	Canada	China	EU	Hong Kong	Indonesia	Japan*	Malaysia	Singapore	Thailand
abamectin (Vertimec)	14	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days
alpha-cypermethrin (Fastac)	14	Do not use post-flowering	Export WHP - 35 days (A only)	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Do not use post-flowering	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Do not use post-flowering
azinphos-methyl (Gusathion)	14	Do not use post-flowering.	Export WHP - 14 days	Export WHP - 14 days	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering	Do not use post-flowering.	Export WHP - 14 days	Export WHP - 28 days.	Do not use post-flowering
bifenazate (Acramite)	7	Export WHP - 90 days.	Export WHP - 90 days	Export WHP - 90 days	Export WHP - 90 days	Do not use post-flowering	Do not use post-flowering	Export WHP 7 days	Export WHP - 90 days	Export WHP - 90 days	Export WHP - 90 days
bifenthrin (Talstar)	NS	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering	Do not use post-flowering.	Do not use post-flowering	Do not use post-flowering	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering
buprofezin (Applaud)	56	Export WHP 56 days	Export WHP 56 days	Not MRL set	Export WHP 56 days	Export WHP 56 days	Not MRL set	Export WHP 56 days	Export WHP 56 days	Export WHP 56 days	Export WHP 56 days
carbaryl (Bugmaster)	77	Export WHP 110 days.	Export WHP 77 days.	Export WHP 110 days.	Export WHP 110 days.	Export WHP 77 days.	Export WHP 110 days.	Export WHP 77 days.	Export WHP 110 days.	Export WHP 77 days.	Export WHP 110 days.
chlorantraniliprole (Altacor)	14	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days.	Not MRL set	Export WHP - 14 days.	Export WHP - 14 days.	Export WHP - 14 days.	Export WHP - 14 days

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Export MRLs Guide February 2017

Active ingredient (Example of Common product)	Aust WHP (days)	Codex	Canada	China	EU	Hong Kong	Indonesia	Japan*	Malaysia	Singapore	Thailand
chlorfenapyr (Secure)	14	Do not use.	Do not use.	Do not use	Do not use.	Do not use	Do not use	Export WHP - 14 days	Do not use.	Do not use.	Do not use
chlorpyrifos (Lorsban)	14	Export WHP 14 days.	Do not use post-flowering.	Export WHP 14 days.	Do Not use post-flowering	Export WHP - 14 days.	Not MRL set	Export WHP 14 days.	Export WHP 14 days.	Export WHP - 14 days.	Export WHP 14 days.
clofentezine (Apollo)	21	Export WHP 21 days.	Export WHP 21 days.	Export WHP 21 days.	Export WHP 21 days.	Export WHP - 21 days	Not MRL set	Export WHP 21 days.	Export WHP 21 days.	Export WHP - 21 days.	Export WHP 21 days.
clothianidin (Samurai)	21	Export WHP 70 days.	Export WHP 70 days.	Do not use	Export WHP 70 days.	Export WHP 70 days	Not MRL set	Export WHP 70 days.	Export WHP 70 days.	Export WHP 70 days.	Export WHP 70 days.
diazinon (Diazinon)	14	Export WHP 35 days.	Export WHP 14 days.	Export WHP 35 days.	Do not use post-flowering	Export WHP - 14 days.	Not MRL set	Export WHP - 42 days	Export WHP 35 days.	Export WHP - 14 days.	Export WHP 35 days.
dicofol (Kelthane)	7	Do not use post-flowering.	Export WHP 35 days.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering	Do not use post-flowering.	Export WHP 35 days.	Do not use post-flowering.	Export WHP - 7 days.	Do not use post-flowering.
etoxazole (Paramite)	21	Export WHP 56 days.	Export WHP 21 days.	Do not use post-flowering	Export WHP 56 days.	Export WHP 21 days	Not MRL set	Export WHP 21 days.	Export WHP 56 days.	Export WHP 56 days.	Export WHP 56 days.
fenbutatin oxide (Torque)	2	Export WHP 2 days.	Export WHP 2 days.	Export WHP 2 days.	Export WHP - 28 days.	Export WHP 2 days	Not MRL set	Export WHP 2 days.	Export WHP 2 days.	Export WHP 2 days.	Export WHP 2 days.
fenoxycarb (Insegar)	14	Do not use post-flowering.	Do not use post flowering.	Do not use post flowering	Export WHP 42 days	Do not use post-flowering	Not MRL set	Export WHP 42 days	Do not use post flowering.	Do not use post-flowering.	Do not use post flowering

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Export MRLs Guide February 2017

Active ingredient (Example of Common product)	Aust WHP (days)	Codex	Canada	China	EU	Hong Kong	Indonesia	Japan*	Malaysia	Singapore	Thailand
fluvinate (tau) (Mavrik)	NR	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	NR (A)	Do not use post-flowering.	Do not use post-flowering.	NR (A)	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.
hexythiazox (Calibre)	3	Export WHP 42 days	Export WHP 42 days	Export WHP 42 days	Export WHP 3 days	Export WHP 3 days.(P) Export WHP 42 days (A)	Not MRL set	Export WHP 3 days	Export WHP 42 days	Export WHP 42 days	Export WHP 42 days
imidacloprid (Confidor)	NS	NR if used as dormant treatment	NR if used as dormant treatment	NR if used as dormant treatment	NR if used as dormant treatment	NR if used as dormant treatment	NR if used as dormant treatment	NR if used as dormant treatment	NR if used as dormant treatment	NR if used as dormant treatment	NR if used as dormant treatment
indoxacarb (Avatar)	14	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering (A) Export WHP 14 days (P)	Not MRL set	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.
maldison (Maldison, Malathion)	3	Export WHP 28 days.	Export WHP 3 days.	Export WHP 3 days	Do not use post-flowering.	Export WHP 3 days.	Export WHP 42 days (A) Export WHP 28 days. (P)	Export WHP 28 days.	Export WHP 28 days.	Export WHP 3 days.	Export WHP 28 days.
methidathion (Suprathion)	14	Export WHP - 14 days.	Export WHP - 14 days.	Do not use post-flowering	Do not use post-flowering.	Export WHP - 14 days.	Export WHP - 14 days.	Export WHP - 14 days.	Export WHP - 14 days.	Export WHP - 14 days.	Export WHP - 14 days.(P) Do not use post-flowering. (A)
methomyl (Lannate)	1	Do not use post-flowering.	Do not use post-flowering..	Do not use post-flowering.	Do not use post-flowering.	Export WHP 1 days (A) Do not use post-flowering.(P)	Do not use post-flowering.	Export WHP 1 days.	Do not use post-flowering.	Export WHP 1 days. (A)	Do not use post-flowering.
methoxyfenozide (Prodigy)	14	Export WHP - 14 days.	Export WHP - 14 days.	Export WHP - 14 days.	Export WHP - 14 days.	Export WHP - 14 days	Not MRL set	Export WHP - 14 days.	Export WHP - 14 days.	Export WHP - 14 days.	Export WHP - 14 days.

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Export MRLs Guide February 2017

Active ingredient (Example of Common product)	Aust WHP (days)	Codex	Canada	China	EU	Hong Kong	Indonesia	Japan*	Malaysia	Singapore	Thailand
pirimicarb (Pirimor)	2	Export WHP 2 days.	Export WHP 2 days. (A)	Export WHP 2 days.	Export WHP 2 days.	Export WHP 2 days.	Not MRL set	Export WHP 2 days.	Export WHP 2 days.	Export WHP 2 days.	Export WHP 2 days.
propargite (Omite)	7	Export WHP 7 days. (A)	Export WHP 7 days. (A)	Export WHP 7 days.	Export WHP 84 days.	Export WHP 7 days.	Export WHP 7 days.	Export WHP 7 days (A)	Export WHP 7 days.	Export WHP 7 days.	Export WHP 7 days.
prothiofos (Tokuthion)	56	Do not use post-flowering	Do not use post-flowering	Do not use post-flowering	Do not use post-flowering	Do not use post-flowering	Not MRL set	Do not use post-flowering	Do not use post-flowering	Do not use post-flowering	Do not use post-flowering
pyridaben (Sanmite)	1	Do not use post-flowering.	Export WHP 1 days.	Export WHP 1 days.(A) Do not use post-flowering (P)	Export WHP 1 day.	Export WHP 1 day.	Not MRL set	Export WHP 1 days.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering
spinetoram (Delegate)	7	Export WHP 14 days.	Export WHP 7 days.	Do not use post-flowering	Export WHP 7 days.	Export WHP 14 days	Not MRL set	Export WHP 7 days.	Export WHP 14 days.	Export WHP 14 days.	Export WHP 14 days.
spinosad (Success)	3	Export WHP 21 days (A)	Export WHP 7 days.	Export WHP 21 days (A)	Export WHP 3 days.	Export WHP 21 days.	Do not use post-flowering	Export WHP 3 days.	Export WHP 21 days(A).	Export WHP 21 days(A).	Export WHP 21 days(A)
spirotetramat	14	Export WHP 14 days.	Export WHP 14 days	Export WHP 14 days	Export WHP 14 days	Export WHP 14 days	Not MRL set	Export WHP 14 days	Export WHP 14 days	Export WHP 14 days	Export WHP 14 days
Sulfoxaflor (Transform)	3	Export WHP 21 days	Export WHP 3 days.	Do not use on export fruit	Do not use on export fruit	Do not use on export fruit	Not MRL set	Do not use on export fruit	Export WHP 21 days	Export WHP 21 days	Export WHP 21 days

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Export MRLs Guide February 2017

Active ingredient (Example of Common product)	Aust WHP (days)	Codex	Canada	China	EU	Hong Kong	Indonesia	Japan*	Malaysia	Singapore	Thailand
tebufenozide (Mimic)	21	Export WHP 21 days.	Export WHP 21 days.	Export WHP 21 days	Export WHP 21 days	Export WHP 21 days	Do not use post-flowering	Export WHP 21 days.	Export WHP 21 days.	Export WHP 21 days.	Export WHP 21 days
tebufenpyrad (Pyranica)	14	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering	Do not use post-flowering.	Do not use post-flowering	Do not use post-flowering	Do not use post-flowering	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering
thiacloprid (Calypso)	14	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering	Do not use post-flowering.	Do not use post-flowering (A) Export WHP 14 days (P)	Not MRL set	Export WHP 14 days.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering
trichlorfon (Dipterex)	2	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering	Do not use post-flowering	Export WHP 2 days.(A)	Do not use post-flowering	Export WHP 2 days	Do not use post-flowering.	Export WHP 2 days (A)	Do not use post-flowering

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Export MRLs Guide February 2017

Fungicides:

Active ingredient (Example of Common product)	Aust WHP (days)	Codex	Canada	China	EU	Hong Kong	Indonesia	Japan [*]	Malaysia	Singapore	Thailand
boscalid (Pristine)	28	Export WHP 28 days (A) only	Export WHP 28 days.	Export WHP 28 days (A) only	Export WHP 28 days (A) Export WHP 42 days (P)	Export WHP 28 days	Export WHP 28 days (A only) Do not use post-flowering (P)	Export WHP 28 days	Export WHP 28 days (A) only	Export WHP 28 days (A) only	Export WHP 28 days (A) only
bupirimate (Nimrod)	7	Do not use.	Do not use	Do not use	Do not use	Do not use	Not MRL set	Export WHP 21 days.	Do not use	Do not use	Do not use
captan (Captan)	7	Export WHP 7 days	Export WHP 21 days	Export WHP 7 days	Export WHP 35 days	Export WHP 7 days	Not MRL set	Export WHP 28 days	Export WHP 7 days	Export WHP 7 days	Export WHP 7 days
cyprodinil (Chorus)	Do not use post petal fall.	Do not use post petal fall.	Do not use post petal fall.	Do not use post petal fall.	Do not use post petal fall.	Do not use post petal fall.	Do not use post petal fall.	Do not use post petal fall.	Do not use post petal fall.	Do not use post petal fall.	Do not use post petal fall.
difenoconazole (Bogard)	28	Export WHP 28 days	Export WHP 28 days	Export WHP 28 days	Export WHP 28 days	Export WHP 28 days	Not MRL set	Export WHP 28 days	Export WHP 28 days	Export WHP 28 days	Export WHP 28 days
dithianon (Delan)	21	Do not use post-flowering.	Do not use post-flowering.	Export WHP 21 days	Export WHP 21 days	Export WHP 21 days	Not MRL set	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.
dodine acetate (Syllit)	5	Export WHP 5 days	Export WHP 5 days	Export WHP 5 days [*]	Do not use post-flowering.	Export WHP 5 days	Not MRL set	Export WHP 5 days	Export WHP 5 days	Export WHP 5 days	Export WHP 5 days

^{*} The MRL is indicated as temporary

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Export MRLs Guide February 2017

Active ingredient (Example of Common product)	Aust WHP (days)	Codex	Canada	China	EU	Hong Kong	Indonesia	Japan*	Malaysia	Singapore	Thailand
fenarimol (Rubigan)	14	Export WHP 14 days.	Do not use post-flowering.	Export WHP 14 days.	Do not use post-flowering.	Export WHP 14 days	Not MRL set.	Export WHP 14 days.	Export WHP 14 days.	Export WHP 14 days.	Export WHP 14 days.
fluazinam	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
fludioxonil (Scholar)	NR	NR	NR	Do not use	NR	NR (A) Do not use (P)	No MRL set	NR	NR	NR	NR
fluopyram	28	Export WHP 28 days.	Export WHP 28 days.	Do not use	Export WHP 28 days.	Do not use	No MRL set	Export WHP 28 days.	Export WHP 28 days.	Export WHP 28 days.	Export WHP 28 days.
fluquinconazole (Vision)	Do not use post- petal fall.	Do not use	Do not use	Do not use	Do not use	Do not use	No MRL set	Do not	Do not use	Do not use	Do not use
fosetyl-Al (Aliette)	14	Do not use	Do not use post-flowering.	Export WHP 14 days (A only)	Export WHP 14 days.	Export WHP 14 days	No MRL set	Export WHP 14 days.	Do not use	Do not use	Do not use
hexaconazole (Viva)	7	Do not use	Do not use	Do not use	Do not use	Do not use	No MRL set	Export WHP 7 days	Do not use	Do not use	Do not use
imazalil Post Harvest (Fungaflor)	NS	NR	Do not use	NR	Do not use	NR	No MRL set	NR	NR	NR	NR

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Export MRLs Guide February 2017

Active ingredient (Example of Common product)	Aust WHP (days)	Codex	Canada	China	EU	Hong Kong	Indonesia	Japan*	Malaysia	Singapore	Thailand
iprodione Post Harvest (Rovral)	Nil	NR	Do not use	NR	NR	NR	No MRL set	NR	NR	NR	NR
kresoxim methyl (Stroby)	42	Export WHP 42 days	Export WHP 42 days	Export WHP 42 days (A only)	Export WHP 42 days	Export WHP 42 days	No MRL set	Export WHP 42 days	Export WHP 42 days	Export WHP 42 days.	Export WHP 42 days
mancozeb (Mancozeb)	14	Export WHP 14 days.	Export WHP 14 days.	Export WHP 14 days.	Export WHP 14 days.	Export WHP 14 days	Not MRL set	Export WHP 14 days.	Export WHP 14 days.	Export WHP 14 days.	Export WHP 14 days.
metiram (Polyram)	21	Export WHP 21 days	Export WHP 21 days	Do not use	Export WHP 21 days	Export WHP 14 days	No MRL set	Export WHP 21 days	Export WHP 21 days	Export WHP 21 days	Export WHP 21 days
myclobutanil (Systhane)	21	Export WHP 21 days	Export WHP 21 days	Export WHP 21 days	Export WHP 21 days	Export WHP 21 days	No MRL set	Export WHP 21 days	Export WHP 21 days	Export WHP 21 days.	Export WHP 21 days.
penconazole (Topas)	14	Export WHP 14 days.	Export WHP 35 days.	Export WHP 14 days.	Export WHP 14 days.	Export WHP 14 days.	No MRL set	Export WHP 14 days.	Export WHP 14 days.	Export WHP 14 days.	Export WHP 14 days.
Penthiopyrad (Fontelis)	28	Export WHP 42 days	Export WHP 28 days	No MRL	Export WHP 42 days	No MRL	No MRL set	Export WHP 42 days	Export WHP 42 days	Export WHP 42 days	Export WHP 42 days
pyraclostrobin (Pristine)	28	Export WHP 42 days (A only)	Export WHP 28 days	Export WHP 42 days (A only)	Export WHP 42 days	Export WHP 42 days (A) Export WHP 28 days (P)	Export WHP 42 days (A only)	Export WHP 28 days	Export WHP 42 days (A only)	Export WHP 42 days (A only)	Export WHP 42 days (A only)

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Export MRLs Guide February 2017

Active ingredient (Example of Common product)	Aust WHP (days)	Codex	Canada	China	EU	Hong Kong	Indonesia	Japan*	Malaysia	Singapore	Thailand
pyrimethanil Post Harvest (Philabuster)	NR.	NR	NR	NR (A) Do not use (P)	NR	NR	No MRL set	NR	NR	NR	NR
Tebuconazole (Greenseal Pruning wound dressing)	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
thiabendazole Post Harvest (Tecto)	NR	Do not use	NR	Do not use	Do not use	Do not use	Do not use	Do not use	Do not use	NR	Do not use
thiram (Thiragranz)	7	Export WHP 7 days	Export WHP 7 days	Export WHP 7 days (A only)	Export WHP 14 days	Export WHP 7 days	No MRL set	Export WHP 7 days	Export WHP 7 days	Export WHP 7 days	Export WHP 7 days
trifloxystrobin (Flint)	35	Export WHP 35 days	Export WHP 35 days	Export WHP 35 days (A only)	Export WHP 35 days	Export WHP 35 days	No MRL set	Export WHP 35 days	Export WHP 35 days	Export WHP 35 days	Export WHP 35 days
triforine (Saprol)	1	Do not use	Do not use	Export WHP 1 day (A only)	Do not use	Export WHP 1 day (A only)	Export WHP 1 day (A only)	Export WHP 1 day	Do not use	Export WHP 1 day (A only)	Do not use
ziram (Ziram, Fulasin)	7	Export WHP 7 days	Export WHP 7 days	Export WHP 7 days (A only)	Export WHP 14 days	Export WHP 7 days	No MRL set	Export WHP 7 days.	Export WHP 7 days	Export WHP 7 days	Export WHP 7 days

NR - Not Required NS - Not Set

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Export MRLs Guide February 2017

Growth Regulators:

Active ingredient (Example of Common product)	Aust WHP (days)	Codex (Hong Kong)	Canada	China	EU	Hong Kong	Indonesia	Japan*	Malaysia	Singapore	Thailand
ammonium thiosulfate (Thin-It)	NR	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice
aviglycine (Retain)	7	No information. Seek manufacturer advice	Export WHP 14 days	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	Export WHP 7 days	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice
6-benzyladenine (CyLex)	NR	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice
cyanamide (Dormex)	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
diphenylamine (DPA)	NS	NR (A) Do not use (P)	Do not use	Do not use	Do not use	NR	NR (A) Do not use (P)	NR (A) Do not use (P)	NR (A) Do not use (P)	Do not use	NR (A) Do not use (P)
ethephon (Ethrel)	7	Export WHP 14 days	Export WHP 7 days	Export WHP 7 days	Do not use	Export WHP 7 days	Export WHP 7 days	Export WHP 7 days	Export WHP 7 days	Export WHP 7 days.	Export WHP 7 days
Gibberellic acid (Cytolin)	NR	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	NR	No information. Seek manufacturer advice	No information. Seek manufacturer advice	NR	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice
1-methylcyclopropene (Smartfresh)	NS	NR	NR	No information. Seek manufacturer advice	NR	NR	No information. Seek manufacturer advice	NR	NR	NR	NR

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Export MRLs Guide February 2017

Active ingredient (Example of Common product)	Aust WHP (days)	Codex (Hong Kong)	Canada	China	EU	Hong Kong	Indonesia	Japan*	Malaysia	Singapore	Thailand
1-naphthylacetic acid (NAA)	1	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	Export WHP 1 day.	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice
paclobutrazol (Cultar)	21	Export WHP - 105 days.	Export WHP - 105 days	Export WHP - 105 days	Export WHP - 105 days	Export WHP - 56 days.	No MRL set	Export WHP - 56 days.	Export WHP - 105 days	Export WHP - 105 days	Export WHP - 105 days
prohexadione (Regalis)	56	No MRL set.	Export WHP - 56 days.	No MRL set	Export WHP - 56 days.	Export WHP - 56 days	No MRL set.	Export WHP - 56 days.	No MRL set.	No MRL set..	No MRL set.

NR - Not Required NS - Not Set

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.