

Guide to Achieving Pear Export MRLs - October 2014

1. The information contained in this document is provided only as a guide to assist industry members in complying with maximum residue limits (MRLs) in respect of pears in the listed countries. The data must not be relied upon as being true and accurate data.
2. APAL will use all reasonable endeavours to review and amend the data contained in this document from time to time in accordance with information obtained from domestic and international regulatory authorities and agrochemical companies. However, the actual specified MRLs and export withholding period for each country is subject to change from time to time. Actual MRLs must be independently verified before the export of apples.
3. It is strongly recommended that the information contained in this document be used in conjunction with residue monitoring to ensure compliance with actual MRLs.
4. Growers should maintain accurate and detailed records of all chemicals applied to fruit. It is strongly recommended that farmers consult product labels before application as State and/or Territory requirements may vary from time to time.
5. Herbicide details have not been included, as contact with fruit should not occur during herbicide application.
6. MRLs for various export destinations MRL tables can be found at <http://www.apal.org.au/>

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Pear - Export MRLs Guide October 2014

Table of Contents

Insecticides	3
Fungicides	9
Plant Growth Regulators	14

LEGEND

Food Standards Australia New Zealand (FSANZ) MRLs are used as the default Australian MRL unless otherwise indicated.

Signifies that an Australian Pesticides & Veterinary Medicines Authority (APVMA) MRL has been used in the absence of a FSANZ MRL

* Signifies an MRL set at the limit of quantitation (LOQ)

NR - Indicates that a withholding period is not required

NS - Indicates that a withholding period has not been set.

♣ Japanese Positive list MRL System came into effect on May 29th 2006.

Malaysia: In the absence of a domestic MRL, defers to Codex. In the absence of a Codex MRL a default of 0.01 mg/kg applies.

Singapore: In the absence of an MRL defers to Codex

NB: Active ingredients are listed alphabetically. Example of trade names provided does not signify specific product endorsement.

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Pear - Export MRLs Guide October 2014

Insecticides:

Active ingredient (Example of Common product)	Aust WHP (days)	Codex	Malaysia	Singapore	Hong Kong	EU	Taiwan	Japan ⁺	USA	Canada
abamectin (Vertimec)	14	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days
alpha-cypermethrin (Fastac)	14	Do not use post-flowering	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 14 days	Export WHP - 35 days
azinphos-methyl (Gusathion)	14	Export WHP - 14 days.	Not Set (Codex)	Export WHP - 28 days.	Export WHP - 14 days	Do not use post-flowering.	Export WHP to 14 days.	Do not use post-flowering.	Export WHP - 28 days.	Export WHP - 14 days
bifenazate (Acramite)	7	Export WHP – 90 days.	Export WHP – 90 days	Export WHP – 90 days	Do not use post-flowering	Export WHP – 90 days	Export WHP – 90 days	Export WHP 7 days	Export WHP – 90 days	Export WHP – 90 days
bifenthrin (Talstar)	NS	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.
buprofezin (Applaud)	56	Export WHP - 56 days	Export WHP - 56 days.	Export WHP - 56 days	Export WHP - 56 days	Export WHP - 56 days	Do not use post-flowering.	Export WHP - 56 days	Export WHP - 56 days.	Do not use post-flowering
carbaryl (Bugmaster)	77	Export WHP 110 days.	Export WHP 110 days.	Export WHP 77 days.	Export WHP 77 days.	Export WHP 110 days.	Export WHP 28 days.	Export WHP 77 days.	Export WHP 77 days.	Export WHP 77 days.
chlorantraniliprole (Altacor)	14	Export WHP - 14 days	Export WHP - 14 days.	Export WHP - 14 days.	Export WHP - 14 days.	Export WHP - 14 days	Export WHP - 14 days.	Export WHP - 14 days.	Export WHP - 14 days	Export WHP - 14 days

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Pear - Export MRLs Guide October 2014

Active ingredient (Example of Common product)	Aust WHP (days)	Codex	Malaysia	Singapore	Hong Kong	EU	Taiwan	Japan ⁺	USA	Canada
chlorfenapyr (Secure)	14	Do not use.	Do not use.	Do not use.	Do not use	Do not use.	Export WHP - 14 days	Export WHP - 14 days	Do not use	Do not use.
chlorpyrifos (Lorsban)	14	Export WHP 14 days.	Export WHP 14 days.	Export WHP -14 days.	Export WHP -14 days.	Export WHP 14 days.	Export WHP 14 days.	Export WHP 14 days.	Do Not use post-flowering.	Do not use post-flowering.
clofentezine (Apollo)	21	Export WHP 21 days.	Export WHP 21 days.	Export WHP -21 days.	Export WHP -21 days.	Export WHP 21 days.	Do not use post-flowering.	Export WHP 21 days.	Export WHP 21 days.	Export WHP 21 days.
clothianidin (Samurai)	7 ¹	Export WHP 70 days.	Export WHP 70 days.	Export WHP 70 days.	Export WHP 70 days.	Export WHP 70 days.	Export WHP 21 days.	Export WHP 21 days.	Export WHP 21 days.	Export WHP 70 days.
diazinon (Diazinon)	14	Export WHP - 28 days.	Export WHP - 28 days.	Export WHP -14 days.	Export WHP -14 days.	Do not use post-flowering	Export WHP 14 days.	Export WHP - 42 days	Export WHP 14 days.	Export WHP 14 days.
dicofol (Kelthane)	7	Do not use post-flowering.	Do not use post-flowering.	Export WHP - 7 days.	Do not use post-flowering	Do not use post-flowering.	Do not use post-flowering.	Export WHP 35 days.	Export WHP 7 days.	Export WHP 35 days.
etoxazole (Paramite)	21	Export WHP 56 days.	Export WHP 56 days.	Export WHP 56 days.	Export WHP 21 days.	Export WHP 56 days.	Export WHP 21 days.	Export WHP 21 days.	Export WHP 21 days.	Export WHP 21 days.
fenbutatin oxide (Torque)	2	Export WHP 2 days.	Export WHP 2 days.	Export WHP 2 days.	Export WHP 2 days.	Export WHP -28 days.	Export WHP -28 days.	Export WHP 2 days.	Export WHP 2 days.	Export WHP 2 days.

¹ 7 day WHP from PER14252, expiry 30 June 2015

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Pear - Export MRLs Guide October 2014

Active ingredient (Example of Common product)	Aust WHP (days)	Codex	Malaysia	Singapore	Hong Kong	EU	Taiwan	Japan ⁺	USA	Canada
fenoxycarb (Insegar)	14	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Export WHP 42 days	Do not use post-flowering.	Export WHP 14 days	Do not use post-flowering.	Do not use post-flowering.
hexythiazox (Calibre)	3	Export WHP 21 days	Export WHP 21 days	Export WHP 42 days	Export WHP 3 days	Export WHP 3 days	Export WHP 3 days	Export WHP 3 days.	Export WHP 42 days.	Export WHP 42 days
indoxacarb (Avatar)	14	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.
maldison (Maldison, Malathion)	3	Do not use post-flowering	Do not use post-flowering	Do not use post-flowering	Export WHP 3 days.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Export WHP 3 days.	Export WHP 3 days.
methidathion (Supracide)	14	Export WHP - 14 days.	Export WHP - 14 days.	Export WHP - 14 days.	Export WHP - 14 days.	Do not use post-flowering.	Do not use post-flowering.	Export WHP - 14 days.	Do not use post-flowering.	Export WHP - 14 days.
methomyl (Lannate)	1	Do not use post-flowering.	Do not use post-flowering.	Export WHP 1 days.	Export WHP 1 days	Do not use post-flowering.	Do not use post-flowering.	Export WHP 1 days.	Do not use post-flowering..	Do not use post-flowering.
methoxyfenozide (Prodigy)	14	Export WHP - 14 days.	Export WHP - 14 days.	Export WHP - 14 days.	Export WHP - 14 days	Export WHP - 14 days.	Export WHP - 14 days.	Export WHP - 14 days.	Export WHP - 14 days.	Export WHP - 14 days.
oxythioquinox (Morestan)	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Pear - Export MRLs Guide October 2014

Active ingredient (Example of Common product)	Aust WHP (days)	Codex	Malaysia	Singapore	Hong Kong	EU	Taiwan	Japan ⁺	USA	Canada
propargite (Omite)	PO ²	NS	NR	NR	NR	NR	NR	NR	NR	NR
pyridaben (Sanmite)	1	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Export WHP 1 day.	Export WHP 1 day.	Export WHP 1 day.	Export WHP 1 days.	Export WHP 1 days.	Export WHP 1 days.
spinetoram (Delegate)	7	Export WHP 14 days.	Export WHP 14 days.	Export WHP 14 days.	Export WHP 7 days.	Export WHP 7 days.	Export WHP 7 days.	Export WHP 7 days.	Export WHP 7 days.	Export WHP 7 days.
spinosad (Success)	3	Export WHP 21 days.	Export WHP 21 days.	Export WHP 21 days.	Export WHP 21 days.	Export WHP 3 days.	Do not use post-flowering.	Export WHP 3 days.	Export WHP 7 days.	Export WHP 7 days.
Spirotetramat (Movento)	21	Export WHP 21 days.	Export WHP 21 days.	Export WHP 21 days.	Export WHP 21 days.	Export WHP 21 days.	Do not use post-flowering.	Export WHP 21 days.	Export WHP 21 days.	Export WHP 21 days.
Sulfoxaflor (Transform)	3	Do not use on export fruit	Do not use on export fruit	Do not use on export fruit	Do not use on export fruit	Do not use on export fruit	Do not use on export fruit	Do not use on export fruit	Export WHP 3 days.	Do not use on export fruit
tebufenozide (Mimic)	21	Export WHP 21 days.	Export WHP 21 days.	Export WHP 21 days.	Export WHP 21 days.	Export WHP 21 days.	Export WHP 35 days.	Export WHP 21 days.	Export WHP 21 days.	Export WHP 21 days.
tebufenpyrad (Pyranica)	14	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.

² Post-harvest foliar spray only

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Pear - Export MRLs Guide October 2014

Active ingredient (Example of Common product)	Aust WHP (days)	Codex	Malaysia	Singapore	Hong Kong	EU	Taiwan	Japan ⁺	USA	Canada
thiacloprid (Calypso)	14	Do not use post-flowering.	Do not use post-flowering.	Do not use post-flowering.	Export WHP 14 days	Do not use post-flowering.	Export WHP 14 days.	Export WHP 14 days.	Do not use post-flowering.	Do not use post-flowering.
trichlorfon (Dipterex)	2	Do not use post-flowering.	Do not use post-flowering.	Export WHP 2 days	Export WHP 2 days.	Do not use post-flowering	Do not use post-flowering.	Export WHP 2 days	Do not use post-flowering.	Do not use post-flowering.

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Pear - Export MRLs Guide October 2014

Fungicides:

Active ingredient (Example of Common product)	Aust WHP (days)	Codex	Malaysia	Singapore	Hong Kong	EU (UK)	Taiwan	Japan*	USA	Canada
boscalid (Pristine)	28	Do not use post-petal fall.	Do not use post-petal fall.	Do not use post-petal fall.	Export WHP 28 days	Export WHP 28 days	Do not use post-petal fall..	Export WHP 28 days	Export WHP 28 days	Export WHP 28 days.
captan (Captan)	7	Export WHP 7 days	Export WHP 7 days	Export WHP 7 days	Export WHP 7 days	Export WHP 35 days	Export WHP 7 days.	Export WHP 7 days	Export WHP 7 days	Export WHP 21 days
cyprodinil (Chorus)	Do not use post petal fall.	Do not use post petal fall.	Do not use post petal fall.	Do not use post petal fall.	Do not use post petal fall.	Do not use post petal fall.	Do not use post petal fall.	Do not use post petal fall.	Do not use post petal fall.	Do not use post petal fall.
difenoconazole (Bogard)	28	Export WHP 28 days	Export WHP 28 days	Export WHP 28 days	Export WHP 28 days	Export WHP 28 days	Export WHP 28 days	Export WHP 28 days	Export WHP 28 days	Export WHP 28 days
dithianon (Delan)	21	Export WHP 42 days	Export WHP 42 days.	Do not use post-flowering.	Export WHP 21 days	Export WHP 21 days	Do not use post-flowering.	Export WHP 21 days	Export WHP 21 days	Do not use post-flowering.
dodine acetate (Syllit)	5	Export WHP 5 days	Export WHP 5 days	Export WHP 5 days	Export WHP 5 days	Do not use post-flowering.	Do not use post-flowering.	Export WHP 5 days	Export WHP 5 days	Export WHP 5 days
fenarimol (Rubigan)	14	Export WHP 14 days.	Export WHP 14 days.	Export WHP 14 days.	Export WHP 14 days	Export WHP 14 days.	Export WHP 14 days.	Export WHP 14 days.	Do not use post-flowering.	Do not use post-flowering.

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Pear - Export MRLs Guide October 2014

Active ingredient (Example of Common product)	Aust WHP (days)	Codex	Malaysia	Singapore	Hong Kong	EU (UK)	Taiwan	Japan*	USA	Canada
fludioxonil (Scholar)	NR	NR	NR	NR	Do not use	NR	NR	NR	NR	NR
fluquinconazole (Vision)	Do not use post- petal fall.	Do not use	Do not use	Do not use	Do not use	Do not use	Do not use	Do not	Do not use	Do not use
flusilazole (Nustar)	14	Export WHP 14 days.	Export WHP - 14 days.	Export WHP - 42 days.	Export WHP 14 days	Export WHP 42 days.	Export WHP 14 days.	Export WHP 14 days.	Do not use post- flowering.	Do not use post- flowering
hexaconazole (Viva)	7	Do not use	Do not use	Do not use	Do not use	Do not use	Export WHP 7 days	Export WHP 7 days	Do not use	Do not use
imazalil Post Harvest (Fungaflor)	NS	NR	NR	NR	NR	Do not use	NR	NR	Do not use	Do not use
iprodione Post Harvest (Rovral)	Nil	NR	NR	NR	NR	NR	NR	NR	Do not use	Do not use
kresoxim methyl (Stroby)	42	Export WHP 42 days	Export WHP 42 days	Export WHP 42 days.	Export WHP 42 days	Export WHP 42 days	Export WHP 42 days	Export WHP 42 days	Export WHP 42 days	Export WHP 42 days
mancozeb (Mancozeb)	14	Export WHP 14 days.	Export WHP 14 days.	Export WHP 14 days.	Export WHP 14 days	Export WHP 14 days.	Export WHP 28 days	Export WHP 21 days.	Export WHP 14 days.	Export WHP 14 days.

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Pear - Export MRLs Guide October 2014

Active ingredient (Example of Common product)	Aust WHP (days)	Codex	Malaysia	Singapore	Hong Kong	EU (UK)	Taiwan	Japan*	USA	Canada
metiram (Polyram)	21	Export WHP 21 days	Export WHP 21 days	Export WHP 21 days	Export WHP 14 days	Export WHP 21 days	Export WHP 28 days	Export WHP 21 days	Do Not use	Export WHP 21 days
myclobutanil (Systhane)	21	Export WHP 21 days	Export WHP 21 days	Export WHP 21 days.	Export WHP 21 days	Export WHP 21 days	Export WHP 21 days	Export WHP 21 days	Do Not use	Export WHP 21 days
penconazole (Topas)	14	Export WHP 14 days.	Export WHP 14 days.	Export WHP 35 days.	Export WHP 14 days.	Export WHP 14 days.	Export WHP 14 days.	Export WHP 14 days.	Export WHP 42 days.	Export WHP 42 days.
pyraclostrobin (Pristine)	28	Export WHP 42 days	Export WHP 42 days	Export WHP 42 days	Export WHP 28 days	Export WHP 42 days	Export WHP 28 days.	Export WHP 28 days	Export WHP 28 days	Export WHP 28 days
pyrimethanil Post Harvest (Philabuster)	NR.	NR	NR	NR	NR	Do not use	Do not use	NR	NR	NR
thiabendazole Post Harvest (Tecto)	NR	Do not use	Do not use	NR	Do not use	Do not use	Do not use	Do not use	Do not use on export fruit	NR
thiram (Thiragranz)	7	Export WHP 7 days	Export WHP 7 days	Export WHP 7 days	Export WHP 7 days	Export WHP 14 days	Export WHP 28 days	Export WHP 21 days.	Export WHP 7 days	Export WHP 7 days
triforine (Saprol)	1	Do not use	Do not use	Do not use	Do not use	Do not use	Export WHP 1 day	Export WHP 1 day	Do not use	Do not use
trifloxystrobin (Flint)	35	Export WHP 35 days	Export WHP 35 days	Export WHP 35 days	Export WHP 35 days	Export WHP 35 days	Export WHP 35 days.	Export WHP 35 days	Export WHP 35 days	Export WHP 70 days

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Pear - Export MRLs Guide October 2014

Active ingredient (Example of Common product)	Aust WHP (days)	Codex	Malaysia	Singapore	Hong Kong	EU (UK)	Taiwan	Japan*	USA	Canada
ziram (Ziram, Fulasin)	7	Export WHP 7 days	Export WHP 7 days	Export WHP 7 days	Export WHP 7 days	Export WHP 14 days	Do not use post- flowering.	Export WHP 7 days.	Export WHP 7 days	Export WHP 7 days

NR - Not Required NS - Not Set

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.

Pear - Export MRLs Guide October 2014

Growth Regulators:

Active ingredient (Example of Common product)	Aust WHP (days)	Codex (Hong Kong)	Malaysia	Singapore	Hong Kong	EU (UK)	Taiwan	Japan*	USA	Canada
ammonium thiosulfate (Thin-It)	NR	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice
6-benzyladenine (CyLex)	NR	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	NR	No information. Seek manufacturer advice	NR	No information. Seek manufacturer advice
2-4,D (William Pear Stop Drop)	28	Export WHP 35 days.	Export WHP 35 days.	Export WHP 35 days	Export WHP 35 days.	Export WHP 35 days.	Export WHP 35 days	Export WHP 35 days.	Export WHP 35 days.	Export WHP 35 days
diphenylamine (DPA)	NS	NR	NR	Do not use on export crops.	NR	Do not use on export crops.	NR	NR	NR	Do not use on export crops.
1-methylcyclopropene (Smartfresh)	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR
1-naphthylacetic acid (NAA)	1	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice	Export WHP 1 day.	Export WHP 1 day.	No information. Seek manufacturer advice	No information. Seek manufacturer advice	No information. Seek manufacturer advice

NR - Not Required NS - Not Set

Disclaimer: APAL, in the preparation of this guide, has relied upon information provided to it by third parties. To the extent permitted by law, APAL does not warrant and nor does it make any representation that the information contained in this document is suitable for any intended purpose or is free from error.

To the extent permitted by law, APAL does not accept responsibility for any person acting or relying upon the information contained in this document and APAL will not be liable to any person for any loss or damage arising as a result of a person acting or refraining from acting in reliance on any information contained in this document.